

Notfälle bei Patienten mit implantiertem Herzschrittmacher oder Defibrillator

A. Buob, H.-R. Neuberger, M. Böhm, C. Mewis

aus BDI aktuell 8-9/2008

- 1** Altamura G, Bianconi L, Lo Bianco BF et al. **Transthoracic DC shock may represent a serious hazard in pacemaker dependent patients.** Pacing Clin Electrophysiol 1995; 18: 194–198
- 2** Bänsch D, Ouyang F, Antz M et al. **Successful catheter ablation of electrical storm after myocardial infarction.** Circulation 2003; 108: 3011–3016
- 3** Bauer A, Schoels W. **Risiken bei asynchroner Ventrikelstimulation.** Herzschr Elektrophysiol 2004; 15: 22–26
- 4** Burjorjee JE, Milne B. **Propofol for electrical storm; a case report of cardioversion and suppression of ventricular tachycardia by propofol.** Can J Anaesth 2002; 49: 973–977
- 5** Carbucicchio C, Santamaria M, Trevisi N et al. **Catheter ablation for the treatment of electrical storm in patients with implantable cardioverter-defibrillators.** Circulation 2008; 117: 426–469
- 6** Credner SC, Klingenhöben T, Mauss O et al. **Electrical storm in patients with transvenous implantable cardioverter-defibrillators: incidence, management and prognostic implications.** J Am Coll Cardiol 1998; 32: 1909–1915
- 7** Dijkman B, den Bulk K, Wellens HJ. **Management of electrical instability after ICD implantation.** Pacing Clin Electrophysiol 1995; 18: 148–151
- 8** Farouque HM, Sanders P, Young GD. **Intravenous magnesium sulfate for acute termination of sustained monomorphic ventricular tachycardia associated with coronary artery disease.** Am J Cardiol 2000; 86: 1270–2, A9
- 9** Hohnloser SH, Al Khalidi HR, Pratt CM et al. **Electrical storm in patients with an implantable defibrillator: incidence, features, and preventive therapy: insights from a randomized trial.** Eur Heart J 2006; 27: 3027–3032
- 10** Israel CW, Barold SS. **Electrical storm in patients with an implanted defibrillator: a matter of definition.** Ann Noninvasive Electrocardiol 2007; 12: 375–382
- 11** Manegold JC, Israel CW, Ehrlich JR et al. **External cardioversion of atrial fibrillation in patients with implanted pacemaker or cardioverter-defibrillator systems: a randomized comparison of monophasic and biphasic shock energy application.** Eur Heart J 2007; 28: 1731–1738
- 12** Nademanee K, Taylor R, Bailey WE et al. **Treating electrical storm. Sympathetic blockade versus advanced cardiac life support-guided therapy.** Circulation 2000; 102: 742–747
- 13** Neuberger HR, Buob A, Böhm M et al. **Rhythmologische Notfälle.** Dtsch Med Wochenschr 2008; 133: 659–668
- 14** Nowak B, Hemmer W, Israel CW et al. **Stellungnahme der Arbeitsgruppe Herzschrittmacher der Deutschen Gesellschaft für Kardiologie zur Sicherheit der asynchronen ventrikulären Schrittmacherstimulation.** Clin Res Cardiol 2006; 95: 57–60
- 15** Schoenfeld MH. **Contemporary pacemaker and defibrillator device therapy. Challenges confronting the general cardiologist.** Circulation 2008; 115: 638–653
- 16** Sesselberg HW, Moss AJ, McNitt S et al. **Ventricular arrhythmia storms in postinfarction patients with implantable defibrillators for primary prevention indications: a MADIT-II substudy.** Heart Rhythm 2007; 4: 1395–1402
- 17** Soejima K, Suzuki M, Maisel WH et al. **Catheter ablation in patients with multiple and unstable ventricular tachycardias after myocardial infarction: short ablation lines guided by reentry circuit isthmuses and sinus rhythm mapping.** Circulation 2001; 104: 664–669
- 18** Thel MC, Armstrong AL, McNulty SE et al. **Randomised trial of magnesium in in-hospital cardiac arrest.** Duke Internal Medicine Housestaff. Lancet 1997; 350: 1272–1276

- 19** Tzivoni D, Banai S, Schuger C et al. **Treatment of torsade de pointes with magnesium sulfate.** *Circulation* 1988; 77: 392–397
- 20** Veltmann C, Borggrefe M, Schimpf R et al. **Fatal inappropriate ICD shock.** *J Cardiovasc Electrophysiol* 2007; 18: 326–328
- 21** Weber M, Block M, Brunn J et al. **[Inadequate therapies with implantable cardioverter-defibrillators – incidence, etiology, predictive factors and preventive strategies].** *Z Kardiol* 1996; 85: 809–819
- 22** Yu CM, Wang L, Chau E et al. **Intrathoracic impedance monitoring in patients with heart failure: correlation with fluid status and feasibility of early warning preceding hospitalization.** *Circulation* 2005; 112: 841–848