

Internistische Therapie der akuten Pankreatitis

J. Mayerle, C.-D. Heidecke, M. Kraft, M. M. Lerch

aus BDI aktuell 3/2009

Literatur

- 1 UK guidelines for the management of acute pancreatitis. *Gut* 2005; 54 Suppl 3: iii1–9
- 2 Andersen V, Sonne J, Andersen M. Spontaneous reports on drug-induced pancreatitis in Denmark from 1968 to 1999. *Europ J Clin Pharmacol* 2001; 57: 517–521
- 3 Bai Y, Gao J, Zou DW, Li ZS. Prophylactic antibiotics cannot reduce infected pancreatic necrosis and mortality in acute necrotizing pancreatitis. *Amer J Gastroenterol* 2008; 103: 104–110
- 4 Bassi C, Pederzoli P, Vesentini S, Falconi M, Bonora A, Abbas H, Benini A, Bertazzoni EM. Behavior of antibiotics during human necrotizing pancreatitis. *Antimicrob Agents Chemother* 1994; 38: 830–836
- 5 Beger HG, Bittner R, Block S, Büchler M. Bacterial contamination of pancreatic necrosis. *Gastroenterology* 1986; 91: 433–438
- 6 Besselink MG, van Santvoort HC, Buskens E et al. Probiotic prophylaxis in predicted severe acute pancreatitis. *Lancet* 2008; 371: 651–659
- 7 Besselink MG, van Santvoort HC, Nieuwenhuijs VB et al. Minimally invasive 'step-up approach' versus maximal necrosectomy in patients with acute necrotising pancreatitis (PANTER trial). *BMC Surg* 2006; 6: 6
- 8 Brown A, Orav J, Banks PA. Hemoconcentration is an early marker for organ failure and necrotizing pancreatitis. *Pancreas* 2000; 20: 367–372
- 9 Büchler M, Malfertheiner P, Schoetensack C, Uhl W, Scherbaum W, Beger HG. [Value of biochemical and imaging procedures for the diagnosis and prognosis of acute pancreatitis]. *Z Gastroenterol* 1986; 24: 100–109
- 10 Connor S, Alexakis N, Raraty MG, Ghaneh P, Evans J, Hughes M, Garvey CJ, Sutton R, Neoptolemos JP. Early and late complications after pancreatic necrosectomy. *Surgery* 2005; 137: 499–505
- 11 Dellinger EP, Tellado JM, Soto NE et al. Early antibiotic treatment for severe acute necrotizing pancreatitis: a randomized, double-blind, placebo-controlled study. *Ann Surg* 2007; 245: 674–683
- 12 Disario JA, Freeman ML, Bjorkman DJ et al. Endoscopic balloon dilation compared with sphincterotomy for extraction of bile duct stones. *Gastroenterology* 2004; 127: 1291–1299
- 13 Eatock FC, Brombacher GD, Steven A, Imrie CW, McKay CJ, Carter R. Nasogastric feeding in severe acute pancreatitis may be practical and safe. *Int J Pancreatol* 2000; 28: 23–29
- 14 Eckerwall GE, Tingstedt BB, Bergenzaun PE, Andersson RG. Immediate oral feeding in patients with mild acute pancreatitis is safe and may accelerate recovery. *Clin Nutr* 2007; 26: 758–763
- 15 Eland IA, van Puijenbroek EP, Sturkenboom MJ, Wilson JH, Stricker BH. Drug-associated acute pancreatitis: twenty-one years of spontaneous reporting in The Netherlands. *Amer J Gastroenterol* 1999; 94: 2417–2422
- 16 Fan ST, Lai EC, Mok FP et al. Early treatment of acute biliary pancreatitis by endoscopic papillotomy. *N Engl J Med* 1993; 328: 228–232
- 17 Farkas G, Marton J, Mandi Y, Szederkenyi E, Balogh A. Progress in the management and treatment of infected pancreatic necrosis. *Scand J Gastroenterol Suppl* 1998; 228: 31–37
- 18 Fölsch UR, Nitsche R, Lüdtke R, Hilgers RA, Creutzfeldt W. Early ERCP and papillotomy compared with conservative treatment for acute biliary pancreatitis. *N Engl J Med* 1997; 336: 237–242

- 19** Gan SI, Romagnuolo J. Admission hematocrit: a simple, useful and early predictor of severe pancreatitis. *Dig Dis Sci* 2004; 49: 1946–1952
- 20** Gerzof SG, Robbins AH, Johnson WC, Birkett DH, Nabseth DC. Percutaneous catheter drainage of abdominal abscesses. *N Engl J Med* 1981; 305: 653–657
- 21** Harrison DA, D'Amico G, Singer M. Case mix, outcome, and activity for admissions to UK critical care units with severe acute pancreatitis. *Crit Care* 2007; 11 Suppl. 1: S1
- 22** Imrie CW, Carter CR, McKay CJ. Enteral and parenteral nutrition in acute pancreatitis. *Best Practice Res* 2002; 16: 391–397
- 23** Johnson CD, Abu-Hilal M. Persistent organ failure during the first week as a marker of fatal outcome in acute pancreatitis. *Gut* 2004; 53: 1340–1344
- 24** Kahl S, Zimmermann S, Pross M, Schulz HU, Schmidt U, Malfertheiner P. Procaine hydrochloride fails to relieve pain in patients with acute pancreatitis. *Digestion* 2004; 69: 5–9
- 25** Kelly TR, Swaney PE. Gallstone pancreatitis: the second time around. *Surgery* 1982; 92: 571–575
- 26** Lankisch PG, Droge M, Gottesleben F. Drug induced acute pancreatitis: incidence and severity. *Gut* 1995; 37: 565–567
- 27** Lankisch PG, Mahlke R, Blum T, Bruns A, Bruns D, Maisonneuve P, Lowenfels AB. Hemoconcentration: an early marker of severe and/or necrotizing pancreatitis? *Amer J Gastroenterol* 2001; 96: 2081–2085
- 28** Lerch MM. No more intravenous procaine for pancreatitis pain? *Digestion* 2004; 69: 2–4
- 29** Levy P, Heresbach D, Pariente EA et al. Frequency and risk factors of recurrent pain during refeeding in patients with acute pancreatitis. *Gut* 1997; 40: 262–266
- 30** Mayerle J, Hlouschek V, Lerch MM. Current management of acute pancreatitis. *Nature Clin Pract* 2005; 2: 473–483
- 31** Mier J, Leon EL, Castillo A, Robledo F, Blanco R. Early versus late necrosectomy in severe necrotizing pancreatitis. *Amer J Surg* 1997; 173: 71–75
- 32** Mofidi R, Duff MD, Wigmore SJ, Madhavan KK, Garden OJ, Parks RW. Association between early systemic inflammatory response, severity of multiorgan dysfunction and death in acute pancreatitis. *Brit J Surg* 2006; 93: 738–744
- 33** Neoptolemos JP, Carr-Locke DL, London NJ et al. Controlled trial of urgent endoscopic retrograde cholangiopancreatography and endoscopic sphincterotomy versus conservative treatment for acute pancreatitis due to gallstones. *Lancet* 1988; 2: 979–983
- 34** Nieuwenhuijs VB, Besselink MG, van Minnen LP, Gooszen HG. Surgical management of acute necrotizing pancreatitis. *Scand J Gastroenterol* 2003; Suppl.: 111–116
- 35** Olah A, Pardavi G et al. Early nasojejunal feeding in acute pancreatitis is associated with a lower complication rate. *Nutrition* 2002; 18: 259–262
- 36** Petrov MS, van Santvoort HC, Besselink MG et al. Oral refeeding after onset of acute pancreatitis. *Amer J Gastroenterol* 2007; 102: 2079–2084; quiz 2085
- 37** Raczynski S, Teich N, Borte G, Wittenburg H, Mössner J, Caca K. Percutaneous transgastric irrigation drainage in combination with endoscopic necrosectomy in necrotizing pancreatitis. *Gastroint Endosc* 2006; 64: 420–424
- 38** Rau BM, Kemppainen EA, Gumbs AA, Büchler MW, Wegscheider K et al. Early assessment of pancreatic infections and overall prognosis in severe acute pancreatitis by procalcitonin (PCT). *Ann Surg* 2007; 245: 745–754
- 39** Runzi M, Niebel W, Goebell H, Gerken G, Layer P. Severe acute pancreatitis: nonsurgical treatment of infected necroses. *Pancreas* 2005; 30: 195–199
- 40** Sand J, Nordback I. Probiotics in severe acute pancreatitis. *Lancet* 2008; 371: 634–635
- 41** Seewald S, Groth S, Omar S et al. Aggressive endoscopic therapy for pancreatic necrosis and pancreatic abscess. *Gastroint Endosc* 2005; 62: 92–100

- 42 Seifert H, Wehrmann T, Schmitt T, Zeuzem S, Caspary WF. Retroperitoneal endoscopic debridement for infected peripancreatic necrosis. *Lancet* 2000; 356: 653–655
- 43 Shafiq N, Malhotra S, Bhasin DK, Rana S, Siddhu S, Pandhi P. Estimating the diagnostic accuracy of procalcitonin as a marker of the severity of acute pancreatitis. *J Pancreas* 2005; 6: 231–237
- 44 Sharma VK, Howden CW. Metaanalysis of randomized controlled trials of endoscopic retrograde cholangiography and endoscopic sphincterotomy for the treatment of acute biliary pancreatitis. *Amer J Gastroenterol* 1999; 94: 3211–3214
- 45 Thorboll J, Vilmann P, Jacobsen B, Hassan H. Endoscopic ultrasonography in detection of cholelithiasis in patients with biliary pain and negative transabdominal ultrasonography. *Scand J Gastroenterol* 2004; 39: 267–269
- 46 Trapnell JE, Duncan EH. Patterns of incidence in acute pancreatitis. *Brit Med J* 1975; 2: 179–183
- 47 Trivedi CD, Pitchumoni CS. Drug-induced pancreatitis: an update. *J Clin Gastroenterol* 2005; 39: 709–716
- 48 Vazquez-Lglesias JL, Gonzalez-Conde B, Lopez-Roses L et al. Endoscopic sphincterotomy for prevention of the recurrence of acute biliary pancreatitis in patients with gallbladder in situ. *Surg Endosc* 2004; 18: 1442–1446
- 49 Werner J, Feuerbach S, Uhl W, Büchler MW. Management of acute pancreatitis: from surgery to interventional intensive care. *Gut* 2005; 54: 426–436
- 50 Xu T, Cai Q. Prophylactic antibiotic treatment in acute necrotizing pancreatitis. *Scand J Gastroenterol* 2008;Epub ahead of print